
1200X**2400**mm




COLLECTION 2019

SMART MARBLE



Smart Marble is a flourishing centre for Italian design and slabs. Smart Marble is a new conglomerate that offers a rich array of products and services in terms of design and manufacturing of slabs. Smart Marble represents unperalleled technical, artistic and organizational standards that distinguish it from its peers.

Smart Marble is the essence of years of rigorous research. In it's core efforts, Smart Marble epitomizes the urge to establish new standards and norms in the industry. Over decades of experience has gone into the making of this ambitious venture that us set to revolutionize art and craft of manufacturing slabs. Based on ground-breaking research, Smart Marble has conceptualized it's ravishing designs and world-class manufacturing process.






WHAT IS Smart Marble?

STRENGTH PLUS LIGHTNESS, VERY LARG SIZES AND LOW THICKNESS.

An innovative and Italian quality porcelain slabs, ideal for kitchen countertops, bathroom countertops, furniture, flooring and wall applications. The perfect combination of quality and wide collections of texture surface like marble, stone, wood, metal & concrete.







Specific answers to any need. **5 sizes, 2 thickness options**

APPLICATION









ШĂ

CENTRES

FITTED KITCHEN AND **BATHROOM FURNITURE**









OFFICES



MUSEUMS



VENTILATED CURTAIN WALLS







INTERIOR DESIGN AND FURNISHINGS

NEW PRODUCTION TECHNOLOGIES BRING UP THE CHALLANGE OF CREATING MATERIALS CAPABLE OF SHAPING THE SPACE TECHNICALLY AND ESTHETICLY IN AN EFFICIENT WAY.

Smart Marble, a brand born to provide advanced solutions to architecture and interior design. Materials that offer unlimited versatility in all fields of construction, furniture, design, etc.

FEATURES



POSSIBILITIES





VISIONARY DESIGN

Smart Marble is the perfect combination of visionary design and technological performance, a creative partner anywhere in the world for any type of architectural project requiring distinction through unique, recognizable style.

INNOVATION FOR TOP ARCHITECTURE

Smart Marble stands for innovation that elevates architecture to a rare art form. It leverages design features in such a fashion that architects are able to unleash their creativity and give shape to spaces in an unhindered way. Ibis provides unparalleled innovation quotient for architecture to flourish.

INDUSTRIAL EXPERTISE FOR TECHNICAL PERFECTION

From inception of an idea to manufacturing it to perfection, Ibis possesses staggering industrial expertise for technical execellence. At Ibis, excellence is the only standard that we maintain.

INSPIRING DESIGNERS

The visionary design philosophy propels us towards the consortium of designers who are looking to push the frontiers of design. We collaborate with designers of international repute and provide the impetus for their design aspirations.



FINISH GLOSSY ROCKER





Different tones of cream, in line with warmer personalities. You can have beautiful spaces that embrace and create a home. We have marbles with great decorative possibilities that never fail. Some are calmer, other are more

innovative. They are all beaautiful and create a great range of radiant begies that shine with their own light.









CANVAS WOOD GREY

RANDOM

2



THICKNESS

6MM, 9 MM 15MM, 18MM

SIZE

1200X2400MM

FINISH

GLOSSY CARVING

EFFECT

MERLIN BEIGE

RANDOM

4

MERLIN BROWN













RANDOM

THICKNESS

6MM, 9 MM 15MM, 18MM

SIZE

1200X2400MM


FINISH

GLOSSY CARVING

EFFECT

MARBLE

MERLIN CREMA










RANDOM

_





THICKNESS

6MM, 9 MM 15MM, 18MM

SIZE

-

1200X2400MM

FINISH


_

GLOSSY CARVING

EFFECT

MERLIN NATURAL













MERLIN NERO

4

RANDOM

THICKNESS

6MM, 9 MM 15MM, 18MM

SIZE

1200X2400MM

FINISH

_

GLOSSY CARVING

EFFECT

VOLCANO BEIGE

RANDOM

3







RANDOM

3

THICKNESS

6MM, 9 MM 15MM, 18MM

SIZE

1200X2400MM

FINISH

GLOSSY CARVING

EFFECT



FINISH MATT ROCKER





Different tones of cream, in line with warmer personalities. You can have beautiful spaces that embrace and create a home. We have marbles with great decorative possibilities that never fail. Some are calmer, other are more

innovative. They are all beaautiful and create a great range of radiant begies that shine with their own light.



ANCIENT OAK WOOD





OXIDO BROWN



RANDOM



THICKNESS

6MM, 9 MM 15MM, 18MM

SIZE

1200X2400MM

FINISH

_

MATT CARVING

EFFECT

BURMA COFFEE

RANDOM

2

BURMA GOLDEN TEAK

RANDOM 2









THICKNESS

6MM, 9 MM 15MM, 18MM

SIZE

1200X2400MM

FINISH

_

MATT CARVING

EFFECT

SODALITE ANTHRACITE

RANDOM

2

SODALITE BEIGE

RANDOM _ 2





THICKNESS

6MM, 9 MM 15MM, 18MM

SIZE

1200X2400MM

FINISH

MATT CARVING

EFFECT





SODALITE BIANCO

RANDOM

SODALITE BROWN

_

RANDOM _ 2





THICKNESS

6MM, 9 MM 15MM, 18MM

SIZE

1200X2400MM

FINISH

_

MATT CARVING

EFFECT





SODALITE DOVE

RANDOM

SODALITE GREY

RANDOM





THICKNESS

6MM, 9 MM 15MM, 18MM

SIZE

1200X2400MM

FINISH

MATT CARVING

EFFECT





WALNUT BROWN

RANDOM

2





RANDOM

2

WALNUT DARK



THICKNESS

6MM, 9 MM 15MM, 18MM

SIZE

1200X2400MM

FINISH

MATT CARVING

EFFECT


TECHNICAL SPECIFICATION


CHARACTERISTICS	STANDARD AS PER ISO-13006/En14411 GROUP	VALUES	TEST METHOD
	REGULATORY PR	OPERTIES	1
Deviation in Lenth & Width	0.50%	0.20%	ISO - 10545-2
Deviation in Thickness	0.50%	0.50%	ISO - 10545-2
Straightness of Sides	0.50%	0.20%	ISO - 10545-2
Rectangularity	0.50%	0.20%	ISO - 10545-2
Surface Flatness	0.50%	0.20%	ISO - 10545-2
Color Difference	Unaltered	No Change	ISO - 10545-16
Glossiness	As per Mfg.	>90%	Glossmeter
	STRUCTURAL PR	OPERTIES	
Water Absorption	<0.05%	<0.05%	ISO - 10545-3
Apparent Density	>2.00 g/cc	>2.10 g/cc	DIN 51082
	MASSIVE MECHANICA	AL PROPERTIES	
Modulus of Repture	Min 35N/MM2	Min 40N/MM2	ISO - 10545-4
Breaking Strength	Min. 1300 N	Min. 2000 N	ISO - 10545-4
mpact Resistance	As per Mfg.	Min. 0.55	ISO - 10545-5
	SURFACE MECHANICA	AL PROPERTIES	
Surface Abrasion Resistance	As per Mfg.	Min. class 3	ISO - 10545-7
Moh's Hardness	As per Mfg.	Min. class 4	EN 101
	THERMO HYGROMETR		
Frost Resistance	No Damage	No Damage	ISO - 10545-12
Thermal Shock Resistance	No Damage	No Damage	ISO - 10545-09
Voisture Expansion	Nil	Nil	ISO - 10545-10
Thermal Expansion	Max 9.0x10 -6	Max 6.5x10 -6	ISO - 10545-08
Crazing Resistance	As per Mfg.	Min 10 Cycle	ISO - 10545-11
	CHEMICAL PRO	PERTIES	
Chemical Resistance	No Damage	No Damage	ISO - 10545-13
Stain Resistance	Resistant	Resistant	ISO - 10545-14


SAFETY PROPERTIES Slip Resistance As per Mfg. >0.40 ISO - 10545-17 Fire Resistance As per Mfg. Fire Proof N.A.

PACKING DETAIL

SIZE (in mm)	THICKNESS APPROX	PIECES / PER BOX	COVERAGE AREA IN SQ. FT	BOX WEIGHT (APPROX.)
1200x2400 MM	6 MM	1	31	42
1200x2400 MM	9 MM	1	31	61










RIGHT



STORAGE

We should use a forklift truck, at least 2,5 mts. long, with the forks positioned in the largest width position, in order to handle the pallet on a proper way. Under normal conditions, the forks are positioned in the mid dle of the long side of the pallet, as they must hold the whole depth of the pallet. To allow the extraction of the slabs in a safe and easy way, it is recommended to position the pallets in a suitable area where the lift truck can be moved around all sides of the pallet.






70cm. Min


HANDLING SLAB

IBIS's Extra large format slabs arrive in oversized crates, which require specific handling equipment. To prevent damage from occurring during forklift operation, specific fork sizes must be used. For example, to handle a crate of $135 \text{cm} \times 305 \text{cm}$ tiles from the side, 112 cm/44" long forks are recommended.

To handle the same crate from the narrow end requires forks that are at least 213cm/ 84" long. Lifting multiple crates with longer forks may require forklifts with a greater lift capacity.

Specialised tools and equipment are currently available for the handling and installation of large porcelain surfaces. Innovative trowels with unique notch configurations can help increase the consistency of the mortar coverage on the back of the tile.





HANDLING EQUIPMENT		LEVELLING EQUIPMENT	CUTTING EQUIPMENT	MECHANICAL FIXING EQUIP	MENT
Handling device to free move 150X150 Slabs (use 2 for 305cm Slab)		RLS Clips for Tiles 10-12 MM thick (½" - ¾") - 400 pcs bag	Free cut guide with complete outfit Max. cut of length-156 CM	Fix Stainless Steel Hook for 8 MM thickness tiles - 500 pcs	
Double Suction Cup 115 MM	STS	Wedges in 1000 pcs / carton	Free cut extension length - 170 CM	Cut Grooving Machine 850w-230v 50/60hz	
Modular Bench BM 180		Adjustable pliers for wall and floor covering	Cutting of pillars for tiles/slabs Thickness 6-12 MM		